



Internal Moulded Doors

DIF53** Primed Dordogne FD30



Dimensions		
Door Width	2'6"	2'9"
Product Code	DIF5360	DIF5370
Building Regulations	FD	FD, M
Weights (kg)	37	41
Dim A (mm)	762	838
Dim B (mm)	522	598
Dim C (mm)	120	120
Dim D (mm)	1981	1981
Dim E (mm)	185	185
Dim F (mm)	120	120

All sizes subject to standard industry tolerances

Part M Doors (M) - Mobility and Access



HOWDENS JOINERY CO.

MAKING SPACE MORE VALUABLE

Internal Moulded Doors

General Construction

This variation on the timber Dordogne styled door can be used in conjunction with the oak version or on its own. Supplied primed on all sides and ready for any colour top coat to suit any taste.

Construction

Engineered timber stile and rail construction.
MDF centre panels.
Primed and ready for painting

Timber Specification

Timber Species	Pinus Elliotis
Moisture Content	8-12%
Core	Engineered Pine

Lipping

10mm clear pine lippings on each edge.



Fire Certificate: Available on request

Glazing Certificate: Not Applicable



Internal Moulded Doors

DIC75** Primed Dordogne



Dimensions				
Door Width	2'0"	2'3"	2'6"	2'9"
Product Code	DIC7530	DIC7540	DIC7560	DIC7570
Building Regulations				M
Weights (kg)	TBC	26	28.5	31.5
Dim A (mm)	610	686	762	838
Dim B (mm)	370	446	522	598
Dim C (mm)	120	120	120	120
Dim D (mm)	1981	1981	1981	1981
Dim E (mm)	185	185	185	185
Dim F (mm)	120	120	120	120

All sizes subject to standard industry tolerances

Part M Doors (M) - Mobility and Access



HOWDENS JOINERY CO.

MAKING SPACE MORE VALUABLE

Internal Moulded Doors

General Construction

This variation on the timber Dordogne styled door can be used in conjunction with the oak version or on its own. Supplied primed on all sides and ready for any colour top coat to suit any taste.

Construction

Constructed using engineered pine stiles and rails frame.
MDF centre panels.
Primed and ready for painting

Timber Specification

Timber Species	Pinus Elliotis
Moisture Content	8-12%
Core	Engineered Pine

Lipping

10mm clear pine lippings on each edge.

Fire Certificate: Not Applicable

Glazing Certificate: Not Applicable

