



- $\sqrt{\,}$ Push & Pull One gentle touch opens and closes your drawer.
- $\sqrt{\,}$ Stepless temperature control The warming drawer makes choosing easy with our stepless temperature control from 40°-80°C.



Features

Technical Data

Construction type: Built-in Color / Material Front: Graphite Maximum number of plates: 14 Maximum number of espresso cups: 64 Dimensions: 140 x 594 x 540 mm

Dimensions of the packed product (HxWxD) : $210 \times 660 \times 660\,$ mm Min. required niche size for installation (HxWxD) : $140 \times 560 \times 550\,$

mm

EAN code : 4242004262688 Electrical connection rating : 400 W

Fuse protection : true A Voltage : 220-240 V Frequency : 50-60 Hz Plug type : GB plug

Included accessories : $1 \times Anti-slip mat$





N 50, Built-in warming drawer, 60 x 14 cm, Graphite-Grey N1AHA01G0B

Feature:

Design

- Elongated designed dials
- User-friendly electronics: extremely easy and comfortable operation
- Cavity inner surface: stainless steel
- Push-Pull opening mechanism

Programmes/functions

- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods
- Loading up to 15 kg
- Can accommodate up to:
- -14plates
- -64 espresso cups

Accessories

• 1 x Anti-slip mat

Performance/technical information

- Cavity volume: 23 l
- Power cord length 150 cm Cable length
- Total connected load electric: 0.4 KW
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 140 mm x 594 mm x 540 mm
- Niche dimension (hxwxd): 140 mm x 560 mm 568 mm x 550 mm
- \bullet Please refer to the dimensions provided in the installation manual



N 50, Built-in warming drawer, 60 x 14 cm, Graphite-Grey N1AHA01G0B

