

Issue Date. 30/06/2009

1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY:

PRODUCT NAME: SUPPLIER: Solid Wood Worktop Oil UNIKA COLOR PRODUCTS LTD. NEW YORK INDUSTRIAL PARK, NEWCASTLE UPON TYNE, NE27 0QF

TELEPHONE:

+44 (0) 191 259 0033

2. COMPOSITION/INFORMATION ON INGREDIENTS:

Name	EC No.	Cas-No.	Content	Clasification
COZIRC DRIERS			<1%	Xn;R65. Mut 3;R68. R42/43.
ETHYL METHYL KETOXIME	202-496-6	96-29-7	<1%	Carc3;R40 Xn;R21 R43 Xi;R41

(1) For R-phrases in full: see heading 16

3. HAZARDS IDENTIFICATION:

Not regarded as a health or environmental hazard under current legislation.

4. FIRST AID MEASURES:

Inhalation - Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion - NEVER MAKE AND UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact - Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye Contact - Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5. FIRE FIGHTING MEASURES:

Extinguishing Media - This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6. ACCIDENTAL RELEASE MEASURES:

Spill Clean Up Methods - Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage are

7. HANDLING AND STORAGE:

Usage Precautions - Avoid spilling, skin and eye contact

Storage Precautions - Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

Protective Equipment - Protective Gloves and Eyewear

Engineering Measures - Provide adequate ventilation. Observe Workplace Exposure Limits and minimize the risk of inhalation of vapours.

Respiratory Equipment - No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

Hand Protection - Use Suitable protective gloves if risk of skin contact

Eye Protection - If risk of splashing, wear safety goggles or face shield

Other Protection - Wear appropriate clothing to prevent any possibility of skin contact

Hygiene Measures - DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE Liquid

COLOUR Brown

SOLUBILITY Insoluble in water

RELATIVE DENSITY 0.94

VOLATILE BY VOL.(%) <1.0%

10. STABILITY AND REACTIVITY:

Stability - Stable under normal temperature conditions

Conditions to Avoid - Avoid excessive heat for prolonged periods of time

Hazardous Decomposition Products - Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2)

11. TOXICOLOGICAL INFORMATION:

Inhalation - In high concentrations, vapours may irritate throat and respiratory system and cause coughing

Ingestion - May cause discomfort if swallowed

Skin Contact - Liquid may irritate skin

Eye Contact - Spray and Vapour in the eyes may cause irritation and smarting

12. ECOLOGICAL INFORMATION:

Ecotoxicity - Not regarded as dangerous for the environment

13. DISPOSAL CONSIDERATIONS:

Disposal Methods - Dispose of waste and residues in accordance with local authority requirements

14. TRANSPORT INFORMATION:

14.1 Classification of the substance UN-number CLASS SUB RISKS PACKING PROPER SHIPPING NAME	in compliance with UN Recommendations : - : NOT SUBJECT : : :
14.2 ADR (transport by road) CLASS PACKING DANGER LABEL TANKS DANGER LABEL PACKAGES	: NOT SUBJECT : : :
14.3 RID (transport by rail) CLASS PACKING DANGER LABEL TANKS DANGER LABEL PACKAGES	: NOT SUBJECT : : :

14.4 ADNR (transport by inland waterways) CLASS PACKING DANGER LABEL TANKS DANGER LABEL PACKAGES	: NOT SUBJECT : :
14.5 IMDG (maritime transport) CLASS SUB RISKS PACKING : MFAG EMS MARINE POLLUTANT	: NOT SUBJECT : :
14.6 ICAO (air transport) CLASS SUB RISKS PACKING PACKING INSTRUCTIONS PASSENGER AIRCRAFT PACKING INSTRUCTIONS CARGO AIRCRAFT	: NOT SUBJECT : :
14.7 Special precautions in connection with transport	: not restricted for any mode of international transport

15. REGULATORY INFORMATION:

Risk Phrases NC Not Classified

Safety PhrasesP14Contains cozirc driers, ETHYL, METHYL KETOXIME. Mayproduce an allergic reaction

Statutory Instruments - Chemicals (Hazard Information and Packaging) Regulations.

Approved Code of Practice - Classification and Labelling of substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations

Guidance Notes - Workplace Exposure Limits EH40. CHIP for everyone HSG

16. OTHER INFORMATION:

The information contained in this Data Sheet is provided in accordance with the **Chemicals** (Hazard Information and Packaging for Supply) Regulations 2002 for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided. This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with legal regulations. The information contained herein is based on the current state of our knowledge and is intended to describe products from the point of view of safety requirements and thus should not be construed as guaranteeing specific properties.

Please ensure that it is passed to the appropriate person(s) in your company, who are capable of acting on the information.

N.A. = NOT APPLICABLE
N.D. = NOT DETERMINED
* = INTERNAL CLASSIFICATION

Exposure limits:

- TLV: Threshold Limit Value ACGIH US 2000
- OES: Occupational Exposure Standards United Kingdom 1999
- MEL: Maximum Exposure Limits United Kingdom 1999
- MAK: Maximale Arbeitsplatzkonzentrationen Germany 2001
- TRK: Technische Richtkonzentrationen Germany 2001 MAC: Maximale aanvaarde concentratie the Netherlands 2002
- VME: Valeurs limites de Moyenne d'Exposition - France 1999
- VLE: Valeurs limites d'Exposition à court terme France 1999
- GWBB: Grenswaarde beroepsmatige blootstelling Belgium 1998
- GWK: Grenswaarde kortstondige blootstelling Belgium 1998
- Indicative occupational exposure limit values directive 2000/39/EC EC:

Full text of any R-phrases referred to under heading 2:

- R21: Harmful in contact with skin
- R36/38: Irritating to eyes and skin
- R38: Irritant to the skin
- R40: Limited evidence of a carcinogenic effect
- Risk of serious damage to eyes R41:
- R43: May cause sensitization by skin contact
- R48/22: Harmful: danger of serious damage to health by prolonged exposure if swallowed
- R53: May cause long-term adverse effects in the aquatic environment